

Conventional Thinking

Large central station power plants are the most cost-effective because of economies of scale

Utility scale renewables are the cheapest, fastest way to meet clean energy goals

Local solar + storage is too expensive and will increase costs & rates







A New Paradigm

New & better models

Scaling utility renewables <u>and</u> local solar and storage maximizes ratepayer savings

Grid of the future has at least 10x more local solar + storage







REPORT HIGHLIGHTS

Expanding Local Solar + Storage Saves \$473B by 2050

...and Creates Over 2M More Jobs

The Cleanest, Lowest Cost Grid Requires <u>223 GW</u> More Local Solar by 2050

More Local Solar <u>Unlocks the Full Potential</u> of Utility-Scale Solar and Wind

Table Of Contents

- 01 WHY TRADITIONAL UTILITY PLANNING MODELS ARE INSUFFICIENT
- 02 A SMARTER MODEL TO BUILD A MODERN ELECTRIC GRID
- 03 WHAT WIS:DOM® SAYS ABOUT LOCAL SOLAR + STORAGE
- 04 POLICY IMPLICATIONS
- 05 QUESTIONS










Why Traditional Utility Planning Models Are Insufficient

Utility Planning Models Were Designed For A Century-Old Utility System

- Utility planning has historically focused on forecasting demand and building the needed utility-scale supply and delivery infrastructure from a narrow set of resource options, with a myopic focus on short-term costs.
- These models play a critical role in developing integrated resources plans and setting electric rates, however current models are missing fundamental data.
 - Data inputs are not exhaustive hourly time slices, no highresolution climate and weather data, no policy lens, T&D costs are rarely considered or simply an afterthought
 - Not taking a total system planning approach not all resources are being considered and they don't account for total system costs and benefits
 - Not integrating and optimizing for local solar + storage



The World Is Changing, Traditional Utility Planning Models Are Not Keeping Up

Today, almost everything except our planning models and processes have changed. Several forms of large-scale generation present unacceptable environmental costs. Policymakers are prioritizing energy and climate goals. Customers want more energy choices. Climate change and weather disruptions are making our grid less efficient and resilient. The number of low-wealth households with high energy burdens is growing. And local solar and storage is growing in popularity because it is cost-competitive and has numerous societal benefits.

The increasing pressures on the traditional utility planning models

RISE OF LOCAL SOLAR + STORAGE

Small, flexible, clean, customer-driven and privately financed efficiency, solar, wind, and storage resources

TRADITIONAL ONE-DIRECTIONAL UTILITY PLANNING MODEL

POLICY

Governments introduce renewable energy and climate goals (RPSs), integrated resource planning, non-utility generation, competitive wholesale markets, and rates for local energy

EQUITY


Growing urgency to bring pollution-free local energy to low-wealth communities

ENVIRONMENT

Climate change & weather disruptions

The Rise Of Local Solar + Storage

- + LOCAL SOLAR + STORAGE are distributed solar generation and storage technologies that provide electric services to the grid. Technologies include rooftop and community solar and battery storage.
- BENEFITS OF LOCAL SOLAR INCLUDE direct
 and indirect benefits such as reduced grid costs (as
 demonstrated in this report), lower energy bills, local job
 creation and economic impact, resiliency, innovation, and more
 equitable participation.
- LOCAL SOLAR + STORAGE DEPLOYMENT
 IS GROWING NATIONALLY



The Benefits of Local Solar + Storage Are Not Integrated in Traditional Models

- + At least twenty states have conducted some form of cost-benefit analyses for local solar + storage. However, these have not been integrated into traditional models and resource planning approaches.
- + We need better models to realize the benefits of local solar + storage and build a modern grid. Models that:
 - ACCOUNT FOR, AND OPTIMIZE, RESOURCE SELECTION
 - FULLY EVALUATE ALL MONETARY COSTS & BENEFITS (*INDIRECT BENEFITS WERE NOT FACTORED IN THIS ANALYSIS)
 - **EVALUATE OPTIONS IN SMALL TIME SLICES & IN SMALL RESOURCE INCREMENTS**
 - + CAN BE TAILORED TO ACHIEVE LOCAL POLICY PRIORITIES
- Without better models, our traditional utility models will add hundreds of billions of dollars in unnecessary cost while leaving millions of jobs and billions of dollars of local economic development on the table.









A Smarter Model To Build A Modern Electric Grid

WIS:dom®-P: Total System Planning Tool

- + WIS:dom-P is a state-of-the-art, fully combined capacity expansion and production cost model, developed to process vast volumes of data.
- + It simultaneously co-optimizes for: (1) Capacity expansion requirements (generation, storage, transmission, and demand-side resources); and (2) Dispatch requirements (production costs, power flow, reserves, ramping and reliability).
- + **WIS:dom-P is a total system planning tool** that provides:

1. COMMORE & BETTER DATA PROCESSING

2 XXX

TOTAL SYSTEM PLANNING COORDINATION



1. More & Better Data Processing

WIS:dom-P seeks the least-cost system solution while leveraging 10,000 times more data points than traditional models. This data more accurately reflects the current situation and results in smarter system planning. It considers the following:



GRANULAR LOCATION PLANNING:

Down to 3 Sq km



TEMPORAL GRANULARITY: Down to 5 min increments



LOCAL SOLAR: Coordinating local solar + storage costs & benefits



WEATHER: Driver of demand and fuel for renewables



INFRASTRUCTURE: Integrating T&D infrastructure requirements



POLICY: Can add sensitivities to account for local policy preferences

PRODUCTION COST INCLUDES:

- Unit commitment;
- Start-up & shutdown profiles of generators;
- Ramp constraints, minimum up and minimum down times;
- Transmission power flow, dynamic line ratings and line losses;
- Planning reserve margins and operating reserves, with detailed VRE accounting;
- Distribution planning & hybrid optimization of the grid edge
- Weather forecasting and physics of weather engines for resources and demands;
- 5-minutely temporal granularity for a minimum of one calendar year (up to seven);

- Zero loss of load at any time or location;
- Detailed energy storage subroutines for arbitrage & reliability asset configurations;
- Demand flexibility modeling based on granular weather drivers;
- Novel technology inclusion (SMR, MSR, EGS, CCS, DAC, H2, NH3, CH4, P2X);
- Existing generator and transmission asset characteristics such as heat rates, power factor, variable costs, fixed costs, capital costs, ramp rate constraints, minimum up and down time, undepreciated value, fuel supply chain, and fuel costs.

CAPACITY EXPANSION INCLUDES:

Continental-scale (globally capable) & spatially-determined;

- Co-optimization of transmission, generation, storage and distributed resources;
- Myopically perform investment from 2020 through 2050 (in five-year windows);
- Transmission resolved at each 69-kV substation;
- Generation siting resolved at 3-km spatial resolution;
- Existing policies, restrictions and incentives;
- Detailed land-use screening for siting of technologies;
- Future cost projections for technologies and fuels;
- Detail accounting for retirement of generation assets;
- + Includes climate change data from CMIP-5 for possible future drivers of infrastructure stress

2. Total System Planning Coordination



INCLUDES ALL VARIABLES

Makes resource selection decisions with all variables under consideration at the same time.



BRINGS DISTRIBUTION, TRANSMISSION & GENERATION INTO ONE PLATFORM

All resources "in the room" at once + accounts for total system costs & benefits.



SEEKS BEST VALUE


Maintains allegiance to assumptions and solving for the solution with the best value.

EXAMPLES

- + Model will not select utility-scale resources with low energy cost if transmission & distribution costs to serve load are too high.
- + If cost-effective transmission upgrades enable delivery of utility-scale resources w/ low energy cost, model won't select more costly local solar.

3. Integrate & Optimize For Local Solar

- + WIS:dom-P co-optimizes and coordinates the utility-scale electricity grid (left) with the distribution grid (right) to find the overall least system cost.
- + Co-optimize and coordinate means it considers distribution infrastructure requirements and determines when leveraging local solar + storage to serve local load and/or reduce peak load, could lessen the need for some distribution infrastructure and forego additional utility-scale generation and transmission buildout.











What WIS:dom Says About Local Solar + Storage

A local & clean electric grid is a lot less expensive than you think.

In fact, it's the most cost-effective option.

The savings & additional benefits would be enormous.

BY 2050: 223 GW OF NEW LOCAL SOLAR | \$473B SAVINGS | OVER 2M JOBS

A Look Under The Hood

Vibrant Clean Energy programmed WIS:dom to look at three views of the world:

01

BUSINESS-AS-USUAL (BAU)

The model was "dumbed down" to mimic traditional models. In this scenario, the model only considers, and weighs cost impacts, from a central transmission-level grid perspective. Changes to, and upgrade costs for, the distribution infrastructure are not considered, they are merely additional costs computed after a solution is found.

02

OPTIMIZATION OF LOCAL SOLAR + STORAGE (DER)

The model considers the distribution infrastructure requirements. It also determines that leveraging local solar + storage deployment to serve local load and/or reduce peak load, could lessen the need for some of the distribution infrastructure as well as foregoing additional utility-scale generation and transmission buildout.

03

OPTIMIZING LOCAL SOLAR + STORAGE (DER) W/ CLEAN ELECTRICITY TARGETS FOR ALL STATES (CE)


The model uses the same assumptions and capabilities as the scenario that coordinates local solar + storage. However, in this scenario, the model also considers that states must meet a clean energy target of 95% reduction in GHG emissions from 1990 levels by 2050.

How We Modeled Local Solar + Storage

- + For the purposes of this analysis "local solar + storage" is defined as generation, distributed storage, and demand-side management technologies administered below 69-kV substations.
- + In the optimized local solar model run, local solar + storage is only selected if it would result in a net cost savings for the entire grid system, and, in the case of on-site customer tied solar, it must also create bill savings for the individual customer as well.
- + In the selection of every resource, the model accounts for all costs and cost savings associated with building a resource at the transmission, generation, and distribution levels. Distribution system cost increases and savings are included in resource selection, allowing for a holistic view into the costs of any particular resource on the total system.
 - Distributed photovoltaics (DPV) also known as Local Solar includes rooftop (customer sited) residential and commercial and industrial applications, as well as community solar which is not tied to a specific load (i.e., not customer sited) and has greater siting flexibility
 - Distributed storage can be deployed as a resource option below the 69-kV substations in tandem to or independent of DPV
 - + Demand-side management (DSM) can be leveraged


Expanding Local Solar + Storage Saves \$473B

- + Optimizing and making initial investments in utility-scale and distribution level grid infrastructure and capacity drives huge long-term savings relative to traditional electricity grid system planning.
- + The savings captured in this chart include only monetary grid costs and benefits, it doesn't include indirect societal benefits.
- + When the model is allowed to choose and optimize local solar + storage (DER vs BAU), it results in cumulative savings of over \$300B.
- + Comparing (BAU-CE) vs. (BAU) costs \$385 billion by 2050.
- + <u>Comparing (DER-CE) vs (BAU) saves \$88 billion by 2050</u> demonstrating that a clean electric grid that leverages expanded local solar + storage is less expensive than a grid that does nothing different than we're doing today.
- + The savings are even bigger when you model for a clean electricity targets (DER-CE vs BAU-CE): \$473B!
- + In addition to saving billions, the model shows expanding local solar + storage results in lower costs per kilowatt hour (total system costs divided by total generation), translating into lower rates and customer savings.




What Did WIS:dom Build & Why?


- + Conventional wisdom would predict the model choosing continued build out of "lower cost" per unit utility-scale resources and transmission infrastructure with unidirectional flow from supply to load.
- + Modeling that ENABLES COMMUNICATION between both sides of the grid (transmission & distribution) with WIS:dom demonstrates an ability for local solar and storage to reshape load, as observed from the utility-scale grid (i.e., above 69 kV).
 - One consequence of this co-optimizing and coordinating utility-scale with distributedscale is the reduction of volatility in the demand as observed by the utility-scale grid.
 - A second consequence is a dramatic drop in the peak demand requirements as observed by the utility-scale grid — ~16% reduction in peak by 2050 attributed to local solar + storage.
- + The result is more local solar + storage reduces net demand and smooths overall demand to enable access to lowest cost utility-scale generation more utility wind and solar and less fossil firming capacity.




Eases Stress On The Bulk Power System



- Demand is sharp and spikey and supply ramps up and down to meet peaks
- More firming capacity and peaker plants are required to meet demand at times of the day when customers are using the most electricity
- Distributed solar + storage have minimal impacts on "shaping load" and meeting system needs






- Demand is smooth because local solar + storage can be deployed at peak times and reshapes load from the perspective of the utility grid (above 69kV)
- Permanently eases stress on system during critical peak hours & reduces how much bulk-scale power is needed to serve the distribution grid
- Less bulk power = less money on expensive peaker plants and firming capacity thus overbuilding the system


What Shifts In Resources Provide The Savings?

- + The model opts to deploy local solar + storage in place of some utility-scale storage, peaker, and base load and firming capacity.
- As a result, it sets out on a path to reconfigure the infrastructure and capacity that ultimately enable grid cost savings achieved through:
 - Less steel in the ground through...
 - Deferred or avoided, and more efficient allocation of distribution & transmission system investments
 - Reduced utility-scale generation and excess capacity requirements
 - More steel in the ground and on people's roofs...
 - Increased and optimized build-out of local solar and storage to reduce and reshape load – enhanced savings potential when accounting for the fact that most local solar occurs through private (non-utility) investment
 - Optimized access to lowest cost utility scale resources largely wind and solar enabled by decreased net load and load volatility



Local Solar Capacity & Storage Key Takeaways


- To achieve the lowest overall system cost, the WIS:dom-P model selects between 94-164 GW of total installed local solar by 2030 - an increase of 70-140 GW in the next decade.
 - By 2050, it accounts for 171-247 GW, which is roughly consistent with some EIA and NREL model projections for local solar (they do not include community solar)
- Distributed storage also plays a critical role in enabling growth and ensuring future savings. In fact, the clean electricity sensitivity relies heavily on it from a production standpoint.
 - The model is able to select 4-hour batteries in early years, steadily climbing to up to 12-hour batteries by 2050 and even more in the clean electricity run.






Total Capacity & Generation By 2050


- + To meet capacity and generation needs by 2050 in the most cost-efficient manner, local solar + storage play a major role.
- + In addition, utility-scale solar and wind account for over 50% of capacity and generation needs across all scenarios. That's because when you retire firming capacity and peaker plants & have better control over demand, it allows the grid to focus on deploying the cheapest electrons, regardless of when or where power is produced.
- + By 2050, DER and DER-CE scenarios see total utility-scale solar capacity of 443-798 GW and utility-scale wind capacity of 596-802 GW.
- + TAKEAWAY: ~\$0.03 per kWh utility-scale solar and wind is possible at-scale and lowest cost when you also scale local solar and storage.





Local Solar + Storage Creates Over One Million More Solar Jobs By 2050

- Integrating, optimizing, and growing local solar + storage results in 1.4 million DPV jobs by 2050 and over 2 million if there are clean electricity targets.
 - This includes direct and indirect jobs but does not include induced jobs (e.g. the ripple effect of direct economic impacts).
- + Local solar creates more jobs on a per MW basis compared to utility-scale electricity generation.
 - This is largely a result of more construction and operations jobs that result from distributed energy facilities.
 - DPV has an average job/MW-ac ratio of 8.3 compared to UPV's job/MW-ac ratio of 3.3*.











Policy Implications

Takeaways For Regulators

COORDINATION AND OPTIMIZATION OF LOCAL SOLAR + STORAGE MOVES PLANNING BEYOND THE "EITHER/OR" FALSE CHOICE OF UTILITY OR DISTRIBUTED RESOURCES

SAVINGS CREATED BY COORDINATION AND OPTIMIZATION OF DISTRIBUTED RESOURCES CAN BE REINVESTED TO ADVANCE STATE POLICY PRIORITIES

PLANNING DECISIONS ARE TOO IMPORTANT TO BASE SOLELY ON THE OUTPUT OF A SINGLE MODEL SELECTED AND RUN BY THE PLAN'S PROPONENT

What's At Stake?



Maximizing cost savings requires better models that can incorporate and optimize new technologies and policy priorities.



Better models show scaling local solar + storage leads to maximum cost savings and job creation and a more efficient, equitable & resilient electricity system.



Utilities and regulators need to work together to achieve these savings, because when they are not savings, they are costs incurred by ratepayers.

Policymakers & Regulators Should

- + Ensure local solar + storage is integrated and optimized into state energy planning using advanced modeling tools like WIS:dom-P.
 - WIS:dom models shows the need to scale local solar by 70-140GW in the next decade alone to achieve the lowest cost system (even more with clean electricity targets).
 - Pace of local solar + storage deployment is not sufficient to capture \$ savings potential
- + Establish clear & consistent policies & programs that scale local solar + storage now.
 - Ensure local solar + storage gets a specific carve-out within your policy priorities (RPS, IRPs, etc.).
 - Ensure equitable access for lower- wealth households to receive the benefits of local solar.
 - Fairly compensate local solar + storage for the benefits they offer to the total system and society, which this model shows cannot be compared 'apples to apples' to bulk generation.
 - Guide open and competitive markets for local solar + storage through fair and clear interconnection, billing, and grid access, and updated
 utility business models that optimize the resource allocation & performance for entire grid (bottom up, and top down).

ACKNOWLEDGEMENTS

AUTHORS

- + Dr. Christopher Clack from Vibrant Clean Energy
- + Jeff Cramer, Matthew Hargarten and Charlie Coggeshall from Coalition for Community Solar Access
- + Karl Rabago from Rabago Energy LLC

ADVISORY GROUP

Thank you to the following groups and individuals who provided ongoing guidance and support during the research and development of the report.

- + Tom Hunt from Pivot Energy
- + Hannah Muller from Clearway Energy Group
- + Evan Dube from Sunrun
- + Laurel Passera from Coalition for Community Solar Access
- + Rick Hunter from Pivot Energy
- + Dan Hendrick from Clearway Energy Group
- + Ben Delman from Solar United Neighborhoods
- + Steven Rymsha, Andy Newbold, Bartlett Jackson, and Krysti Shallenberger from **Sunrun**
- + Suzanne Leta and Courtney Welch from SunPower
- + Sean Gallagher, Kevin Lucas, and Dan Witten from Solar Energy Industries Association
- + Annie Lappé, Ayesha Herian, Hilary Lewis, Ed Smelof and Sachu Constantine from **Vote Solar**
- + The entire Kivvit team

REVIEWERS

Thank you to the following groups and individuals for providing feedback and reviewing this presentation before public release.

- + Ted Thomas, Chairman of Arkansas Public Service
- + James Lester staff at Colorado

 Public Utilities Commission
- + Jennifer Potter, Commissioner at
 Hawaii Public Utilities
 Commission
- + Odogwu Obi Linton, Commissioner at Maryland Public Service
 Commission
- + Matthew Schuerger, Commissioner at Minnesota Public Utilities
 Commission
- + Brandon Presley, Commissioner at
 Mississippi Public Service
 Commission
- + Tyler Huebner, Commissioner at
 Wisconsin Public Service
 Commission

- + Jigar Shah Co-Founder and President of Generate Capital
- + Wilson Rickerson and Jon Monken of Converge Strategies, LLC
- + Jill Tauber, Shannon Fisk, and Kim Smaczniak from **Earthjustice**
- + Brad Klein and MeLena Hessel from Environmental Law & Policy Center
- + Becky Stanfield from Energy
 Foundation
- + Mike O'Boyle from Energy Innovation
- + Priya Sreedharan and Ric O'Connell from **GridLab**
- + Mohit Chhabra from Natural Resource
 Defense Council
- + Mark Dyson, Mark Silberg, Amar Shah, and Nathan lyer from Rocky Mountain Institute
- + Jeremy Fisher from Sierra Club









Thank You

Links to Other Assets:

Report Executive Summary

Press Release